

SUPRACO 2015

Neat Cutting Oil

DESCRIPTION

SUPRACO 2015 is a neat cutting oil specially developed for the general machining of ferrous and non-ferrous metals.

SUPRACO 2015 is recommended and widely used in the automotive, medical and aeronautic industries for the manufacture of metal bodies.

ADVANTAGES

- Compatible with all metals
- High lubricating power and anti-wear power
- User safety (no labelling) and machine safety (high flash point)
- Good rinsing ability: Loss in the chips and parts reduced
- Good water separation properties
- Reduced product consumption
- Easy removal of **SUPRACO 2015** with standard washing procedures

TECHNICAL CHARACTERISTICS

Characteristics	Methods	units	SUPRACO 2015
Aspect			Transparent
Colour			Clear
Density at 20°C	ISO 12.185	kg/l	0.850
Viscosity at 40°C	ASTM D 445	mm ² /s	15
Copper stripe corrosion	NTF M 07105		1b
Pour point	ASTM D 97	°C	-18
Storage			In frost-free, dry place
Flash point	ASTM D 92	°C	> 190

HEALTH AND SAFETY

- Free from organo-chlorinated additives
- Good dermatological behaviour

APPLICATIONS

SUPRACO 2015 is particularly suited to the machining of medium-hard to hard steels, titanium, aluminium, bronze and brass on automatic and semi-automatic turning machines, with single or multiple broaches, without any risk of seizing the spindle mechanism.

SUPRACO 2015 can also be used for the deep drawing and cutting of ferrous and non-ferrous strips by micro spraying.

SERVICE AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and in-use monitoring of your lubricants. Please contact your technical sales representative.

IMPORTANT NOTICE

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary. The safety data sheet of this product is available at www.motul.com